

<p>1. What is the missing number?</p> $\frac{3}{4} = \frac{\quad}{16}$	<p>2. Express in simplest form.</p> $\frac{12}{18} =$
<p>3. Change to a mixed number.</p> $\frac{15}{7} =$	<p>4. Change to an improper fraction.</p> $3\frac{1}{3} =$
<p>5. Find the HCF (highest common factor) of</p> <p>12 and 30</p>	<p>6. Find the LCM (lowest common multiple) of</p> <p>8 and 6</p>
<p>7. Add the fractions.</p> $\frac{2}{5} + \frac{1}{5} =$	<p>8. Add the fractions.</p> $\frac{3}{4} + \frac{2}{3} =$
<p>9. Subtract the fractions.</p> $\frac{5}{4} - \frac{1}{2} =$	<p>10. Multiply the fractions.</p> $\frac{2}{5} \times \frac{3}{7} =$
<p>11. Divide the fractions.</p> $\frac{2}{3} \div \frac{3}{7} =$	<p>12. Multiply. Simplify your answer.</p> $6 \times \frac{3}{4} =$
<p>13. Show working on the right.</p> $1\frac{2}{3} + 2\frac{3}{4} =$	
<p>14. Show working on the right.</p> $32\frac{1}{5} - 6\frac{1}{2} =$	
<p>15. A man lived for $\frac{1}{5}$ of his life before owning a car , $\frac{2}{3}$ of his life as a car owner, and for the remaining 12 years of his life he walked everywhere. How long did he live?</p>	